

Wheel Features

Tread Material:	PU	Core Material:	Cast Iron
Bearing:	Ball Bearing	Tread Hardness:	95A±3
Temperature:	-25°C~60°C	Running Speed:	4km/h

Note: Use beyond temperature range or beyond the recommended speed may shorten product life or even damage the product.










- ✔ 2 precision ball bearings, flexible rotation
- ✔ Polyurethane on casting iron core, high load capacity, wear resistance, oil resistance
- ✔ Environmental protection, quiet, effectively protect the floor
- ✔ Painted, anti-rust and anti-corrosion
- ⚠ High temperature and humidity may shortened service life






Rolling resistance	■ ■ ■ ■ □	Very good
Wear resistance	■ ■ ■ ■ ■	Excellent
Operating noise	■ ■ ■ ■ □	Very good
Floor surface preservation	■ ■ ■ ■ □	Very good

Bracket Features


- ✔ Single-piece forged base, fully welded, impact resistance and high load capacity
- ✔ Plane bearing, high load capacity, impact resistance and flexible steering
- ✔ Radial conical bearing, high load capacity and impact resistance
- ✔ Powder spray treatment, superior anti-rust and anti-corrosion performance, salt spray test over 72 hours
- ✔ ON/OFF pedals, stable braking effect, easy to operate
- ✔ Brake part is replaceable, convenient to maintain

Parameter (mm)	 Capacity	 Wheel Dia.	 Wheel Width	 Total Height	 Offset	 Swivel Radius	 Swivel Radius
5"	430 kg	125	48	175	34	97	151
6"	530 kg	150	48	200	38	113	151
8"	650 kg	200	48	248	47	147	175




[English]

Mounting Drawing



Product ID			
Product Images			
Wheel Size	Plate swivel	Plate fixed	Plate swivel brake
5"	35B01-1136	35B03-1136	35B02-1136
6"	35B04-1137	35B06-1137	35B05-1137
8"	35B07-1138	35B09-1138	35B08-1138

Product Details



ON/OFF brake is easy to operate. Brake components can be replaced with screw connecting.



Planar bearings and radial conical bearings, with high loading, impact resistance, flexible in rotation.

Concave - convex designed aluminum core hub, lightweight and high strength. The arc wheel is easy to move and effortless.



Arc wheel moving easily. Iron cover looks nice and anti-winding.

